





Figure 1A









region replaced with neomycin resistance marker







Figure 2B








SEQ ID NO: 47

cagctacgattgtgagcacgctcacagtgcacacggcatgtgcacggtctcagcttaaccaccttgaaggagtaactcattaaag aggetetgaatgaaatacettecaacaggtgetgagaacegecaggagcagggaacggacteccegtggagccccagaagg agceage cetgat gata acctegge cettegge cetect cac getgggag agage cage te ctg ttg tt cat ge ctg t get the control of the contraggeaccctgcctgccgtggagcccctcacccaacgttcccccgcctgatgggttgggccgcaaaggacaccgtttaaccagaactgccttccaggagcctactgctgggaggcggccttctctgggaccaggtccactccactccttggatagtcactgtcaggcc $\verb|cctggtggcccacaagaggcgtcctgggaagcccagtctccttccagcccctgaaattgcctccctggagagccagatcac|\\$ cct cacccagc teect ccct gg cccca gg gt ctcct ctc ccat ccca ccc gcccaccct accct gg cgt tg ccg tcacagct aacotgacctccctgggttcgagcgtgccgcccctgtcggcccccacctggacccccgcagcctatctctgagggctaatgcccctgtcccctgccccgctgccagctgccccctctttccaggcctttcctccgtgcctctccagtcctgcacctccctgcagcttca $\verb|cctgagacttcctttcaccctccaggcaccgtcttctggcctgcaggtgaggtctcgcgctccctcagggcacgatgtggctgca|\\$ cacacac egg ccct cct cccg agt ccct cct gcacacacacac eg cgcacccg agg t t gacaag ccct gccg t gg t t gg at t ccgggaatggcggcagagggggggggtgtccttggggctggtggcagggtcctcatggatgcacacagcggccccggctc aggecaecttgggaaaccagtectgggatetgeaacteggecatgttectgeatetggaccagecccaagacaccaeceegge gtggcgccactggcctgggaggagacacatgtccctttcccatcagcaatgggttcagcactaggatatgcagcacacaggag tgtggcttgggggtaaaaaaaccttcacgaggaagcggtttcacaaaataaagta


SEQ ID NO:48


tctagacccaccagcctcagttgaggttaaatggacccaaagcatctcaacaatttgcccaagtcaagccagctcaatgggttcc cttctgttcacccagtctcagcccaccatggtaacccagcataccccggttaagcccaggctagcccagctgagcccag ct cage teag et cage teag etccagccctgctcaactcagcccagcacagcccaacttggctcagctcagcttagcccagctcagcccagcttacccactccgcc aacccagcccagctcactcattctgccaagctcagcccagctcaaccaggctcagct ccagctcacctgctgtaggtggcctgaaccgcgaacacagacatgaaagcccagtggttctgacgagaaagggtcagatcctg gggagcccgctcgcccttcccctggtgcctgacacctccatcccgacaccaggcccagctggcccttctcccagctgtcagtc accactaccctccactctgggtgaaaagcttgttggagactttagcttccctagagcatctcacaggctgagacacacttgccaccctcagagagaggccctgtctctgctgagcaggcagcgctgcttctctgggagaggaggagcctgggcacacgtccctgggtcct ggcctcctgggcacgtgccatgggcctgagatcccgccccgagtctaaaagagtcctggtgactaactgctctctggcaaatgt cct catta a aa aac cac aggaa at g cat ctt at ctgaac ctgctccc a at tctgt ctt tat cac aa agt tctgctgagaa ag aggat accept consistent of the consistency of the consisttctctagcacagagaccatctgaaccccaaagctgcattgaacacctaagtgtggacgcaggaagtggtccctgtgggtgtgaa agtgagtetggetgeaceggeteetggteeetggeatgteeeetgggetetetgaeetgggeggatteeteegaateeettegetg tgttaactcgtgacctgcctactggcctgggggcagaggccaggcccacacgtccccaggtgtgggcagtcccaggagaccc cccagccttggcgagcctggggactcagagcagagactgtccctccagacggtcccaggccccgctgactgccgccccacc gggcatcctctcaatcccccagctagtagtgtagcagagtaactcacgacgaatgcccccgtttcacccaagtctgtcctgagat gggtacc




SEQ ID NO. 60


atgagattcc ctgctcagct cctggggctc ctcctgctct gggtcccagg 51 atccagtggg gatgttgtgc tgacccagac tcccctctcc ctgtctatca 101 tccctggaga gacggtctcc atctcctgca agtctactca gagtctgaaa 151 tatagtgatg gaaaaaccta tttgtactgg cttcaacata aaccaggcca 201 atcaccacag cttttgatct atgctgtttc cagccgttac actggggtcc 251 cagacaggtt cactggcagt gggtcagaaa cagatttcac acttacgatc 301 aacagtgtgc aggctgagga tgttggagtc tattactgtc ttcaaacaac 351 atatgtccca aatactttcg gccaaggaac caaggtagag atcaaaaggt 401 ctgatgctga gccatccgtc ttcctcttca aaccatctga tgagcagctg 451 aagaccggaa ctgtctctgt cgtgtgcttg gtgaatgatt tctaccccaa 501 agatatcaat gtcaagtgga aagtggatgg ggttactcag agcagcagca 551 acttccaaaa cagtttcaca gaccaggaca gcaagaaaag cacctacagc 601 ctcagcagca tectgacact geccagetea gagtaccaaa gecatgaege 651 ctatacgtgt gaggtcagcc acaagagcct gactaccacc ctcgtcaaga 701 gcttcagtaa gaacgagtgt tag








- 1. Bovine genomic DNA (negative control)
- 2. Fetus 5968 genomic DNA at 56 days
- 3. Fetus 5983 genomic DNA at 56 days
- 4. Fetus 6032 genomic DNA at 58days
- 5. Fetus 6045 genomic DNA at 56 days
- 6. Fetus 5846 genomic DNA at 79 days
- 7. Fetus 5996 genomic DNA at 77 days





Ĺ.

- 1. Human mu constant region in bovine liver cDNA from fetus 5996.
- 2. Human mu constant region in bovine brain cDNA from fetus 5996.
- 3. Human mu constant region in bovine spleen cDNA from fetus 5996.
- 4. Human mu constant region in human spleen cDNA.
- 5. Human mu constant region in mouse spleen CDNA with HAC.
- 6. Bovine rearranged Cmu heavy chain in bovine spleen cDNA from fetus 5996.
- 7. Bovine rearranged Cmu heavy chain in human spleen cDNA.
- 8. Bovine rearranged Cmu heavy chain in mouse spleen CDNA with HAC.
- 9. GAPDH primers in bovine spleen cDNA from fetus 5996.
- 10. GAPDH primers in bovine liver cDNA
- 11. GAPDH primers in mouse spleen CDNA with HAC.



- 1. GAPDH primers in bovine liver cDNA
- 2. Bovine rearranged Cmu heavy chain in bovine brain cDNA from fetus 5996.
- 3. Bovine rearranged Cmu heavy chain in bovine liver cDNA from fetus 5996.
- 4. GAPDH primers in bovine spleen cDNA from fetus 5996.
- 5. Bovine rearranged Cmu heavy chain in bovine spleen cDNA from fetus 5996.
- 6. GAPDH primers in in bovine brain cDNA from fetus 5996.
- 7. Bovine rearranged Cmu heavy chain positive control.





- 1. Human rearranged Cmu heavy chain in mouse spleen CDNA with HAC (+ control).
- 2. Human rearranged Cmu heavy chain in bovine liver cDNA from fetus.
- 3. Human rearranged Cmu heavy chain in bovine brain cDNA from fetus 5996
- 4. Human rearranged Cmu heavy chain in human spleen cDNA (+ control).
- 5. Human rearranged Cmu heavy chain in bovine spleen cDNA from fetus 5996.
- 6. GAPDH primers in bovine spleen cDNA from fetus 5996.
- 7. GAPDH primers in in mouse spleen CDNA with HAC
- 8. GAPDH primers in bovine brain cDNA from fetus 5996.
- 9. GAPDH primers in bovine liver cDNA from fetus 5996.
- 10. GAPDH primers positive control.



- 1. Mouse spleen (negative control)
- 2. Bovine spleen (negative control)
- 3. Fetus 5996 brain
- 4. Fetus 5996 liver
- 5. Fetus 5996 liver
- 6. Fetus 5996 spleen
- 7. Fetus 5996 spleen
- 8. △HAC-chimeric mouse spleen (positive control)
 9. Human spleen (positive control)

Unspliced genomic fragment Spliced transcript



- Mouse spleen (negative control)
 Bovine spleen (negative control)
 Fetus 5996 brain

- 4. Fetus 5996 liver
- 5. Fetus 5996 liver
- 6. Fetus 5996 spleen7. Fetus 5996 spleen
- 8. ΔHAC-chimeric mouse spleen (positive control)
 9. Human spleen (positive control)

Figure 11B SEQ ID NOS: 50 and 51


V-D-J region \rightarrow constant mu r Subject: 5' tttgactactggggccagggaaccctggtcaccgtctcctcagggagtgcatccgc \rightarrow Query	
Subject: accettttccccctcgtctcctgtgagaattccccgtcggatacgagcagcgtggc	cgtt
Query Subject: 5' ggctgcctcgcacaggacttccttcccgactccateactttctcctg 3'ng	: :

SEQ ID NOS 52 and 53

		10			19		<u></u>	28			37			46			55
5' GGA	GGC	TTG	GTC	AAG	CCT	GGA	GGC	TCC	CTG	AGA	CTC	TCC	TGT	GCA	GCC	TCT	GGA
G	G	L	٧	K	P	G	G	S	L	R	L	S	С	A	A	S	G
		64			73			82			91			100			109
TTC	ACC:	TTC A	AGT (GAC 1	rac 1	ΓAC.	ATG.	AGC 1	rgg /	ATC (CGC (CAGO	GCT (AAG	GGG
F		F	S								R				G	K	G
		118			127	7		136	5		145	5		154			163
CTG	GAG	TGG	GTT	TCA	TAC	ATT	AGT	AGT.	AGT	GGT	AGT.	ACC A	ATA	TAC	TAC	GCA	GAC
L		W	٧	S		I					S		1	Y		A	D
					-	_		H3-1				-	_	-		4.	D
		172			181			190			. 199)		208	٤		217
TCT	GTG			CGA			ATC			GAC	AAC		AAG			ĆTC	
S		K	G	R	F	T	I	S	R	D	N	A	K	N	S	L	Y
	•			4.	•	•	•	•	••	•	21	Λ.	12	14	J	L	1
		·226			235			244	4		253			262			271
CŢG	CAA	ATG	AAC	AGC	CTG	ÀGA	GCC								TGT	GCG	AGA
L	Q	M	N	S	L	R	A	E	D	T	A		Y	Y		A	R
				_					_	_	••	•	-	-	•	••	14
		280)		289		•	298			307			316			325
ATA	ACT			GCT			ATC	-		CAA	GGG		ATG			GTC	TCT
I						D		W				T		ν	T	V	S
_	D7-2		_	••	•		-	••		H3	•	•	•**	•	•	•	J
	שיו עו	334	!		343			352		113	361			370			379
ТСА	ദദദ			זייי			ACC			ccc	CTC (ירירי זו		2472	A ልም የ	
S		S	A	S		P		L			L	γ.		C	E	N N	
G	J	J	Λ	S	Λ	1	1	L	-	L	L	Y	3	C	E	IA	S
•		388							Congression				•				
CCC	TCG		ACC	100	יכי				Jan.								
	, ICO																

SEQ ID NOS: 54 and 55

GTG GAG TCT GGG GGA GGC TTG GTA CAG CCT GGG AGG TCC CTG AGA CTC TCC TGT SGGGLVQPGRSLRL GCA GCG TCA GGA TTC ACC TTC AGG AAC TTT GGC ATG CAC TGG GTC CGC CAG GCT TF R N F GMHWV **VH3-33** CCA GGC AAG GGG CTG GAG TGG GTG ACA GTT ATA TGG TAT GAC GGA AGT AAT CAA K G L WVTVIWY E D TAC TAT ATA GAC TCC GTG AAG GGC CGA TTC ACC ATC TCC AGA GAC AAT TCC AAG D SVK G R F T 1 S AC ATG TTG TAT CTG CAA ATG AAC AGC CTG AGA GCC GAG GAT ACG GCT GTG TAT Y LO N S L R A M E D T TAC TGT GCG AGA-GAT CGC AAT GGC CTG AAG TAC TTC GAT CTC TGG GGC CGT GGC RNGLKYFD \mathbf{D} L W D6-19? Naddition JHŻ ACC CTG GTC ACT GTC TCA TCA GGG AGT GCA TCC GCC CCA ACC CTT TTC CCC (TC L T V S S G S S A P TL CH GTC TCC TGT GAG AAT TCC CCG TCG GAT ACG AGC 3' S C E N S P S D T




Fetus	Clone	<u>IgH</u>	<u>Ιgλ</u>
5580	412	Pos	Pos
5848	214	Neg	Neg

- 1. Bovine genomic DNA (negative control)
- 2. Fetus 5580 genomic DNA (Igλ)
- 3. Fetus 5580 genomic DNA (Igλ)
- 4. Fetus 5848 genomic DNA (Igλ)
- 5. Fetus 5848 genomic DNA (Igλ)
- 6. Positive control (Human genomic DNA)
- 7. Bovine genomic DNA (negative control)
- 8. Fetus 5580 genomic DNA (IgH)
- 9. Fetus 5580 genomic DNA (IgH)
- 10. Fetus 5848 genomic DNA (IgH)
- 11. Fetus 5848 genomic DNA (IgH)
- 12. Positive control (Human genomic DNA)


IgH

- Bovine genomic DNA (negative control)
 Fetus 5442A genomic DNA (9/ day)
 Fetus 5442A genomic DNA (9/ day)
 Fetus 5442B genomic DNA (9/ day)
 Fetus 5442B genomic DNA (9/ day)
- 6. Fetus 5968 genomic DNA (56 day; positive control)
- 7. Human genomic DNA (positive control)


Igλ



- 2. Fetus 5442A brain
- 3. Fetus 5442A liver
- 4. Fetus 5442A spleen
- 5. Fetus 5442A spleen
- 6. Fetus 5996 spleen (positIve control)
- 7. AHAC-chimeric mouse spleen (positive control)



Unspliced genomic fragment Spliced transcript




- 1. Low Mass Ladder: 2.0, 1.2, 0.8,0.4, 0.2 and 0.1kb
- 2. Normal Bovine spleen cDNA negative control
- 3. ΔΔHAC 5868A spleen cDNA
- 4. empty
- 5. Hi Lo :10.0,6.0,4.0,3.0,2.0,1.5,1.4,1.0,0.7,0.5,0.4,0.3, 0.2,0.1kb
- 6. Tc Mouse HAC spleen cDNA positive control
- 7. GAPDH product from 5868A spleen cDNA
- 8. GAPDH product from normal bovine spleen cDNA


1 2 3 4 5 6 7 8 9 10



- 1. Bovine spleen (negative control)
- 2. Fetus 5442A brain
- 3. Fetus 5442B brain
- 4. Fetus 5442A liver
- 5. Fetus 5442B liver
- 6. Fetus 5442A spleen
- 7. Fetus 5442A spleen
- 8. Fetus 5442B spleen
- 9. Fetus 5442B spleen
- 10. AHAC-chimeric mouse spleen (positive control)



- 1. Bovine spleen (negative control)
- 2. Fetus 5442A brain
- 3. Fetus 5442A liver
- 4. Fetus 5442A spleen5. Fetus 5442A spleen
- 6. AHAC-chimeric mouse spleen (positive control)



- 1. Hi-Lo MW:2.0,1.5,1.4,1.0,0.7,0.5 kb
- 2. ΔΔHAC 5868A fetal brain cDNA
- 3. ΔΔHAC 5868A fetal liver cDNA
- 4. ΔΔHAC 5868A fetal spleen cDNA
- 5. Low Mass Ladder
- 6. Tc Mouse HAC spleen cDNA positive control (530bp)
- 7. Low Mass Ladder
- 8. GAPDH ΔΔHAC 5868A brain cDNA
- 9. Low Mass Ladder
- 10. GAPDH ΔΔHAC 5868A liver cDNA

SEGID MOS: SEGNIST

5' ACC CTC CTC ACT CAC TGT GCA GGG TCC TGG GCC CAG TCT GTG CTG ACT CAG CCA T L L T H C A G S W A Q S V L T Q P

CCC TCA GCG TCT GGG ACC CCC GGG CAG AGG GTC ACC ATC TCT TGT TCT GGA AGC PSASGTPGQRVTISCSG AGC TCC AAC ATC GGA AGT AATTAT GTA TAC TGG TAC CAG CAG CTC CCA GGA ACG S S N I G S N Y V Y W Y Q Q L P G T

GCC CCC AAA CTC CTC ATC TAT AGG AAT AAT CAG CGG CCC TCA GGG GTC CCT GAC A P K L L I Y R N N Q R P S G V P D

CGA TTC TCT GGC TCC AAG TCT GGC ACC TCC CTG GCC ATC AGT GGG CTC R F S G S K S G T S A S L A I S G L

CGG TCC GAG GAT GAG GCT GAT TAT TAC TGT GCA TGG GAT GAC AGC CTG AGT

GGT CTT TTC GGC GGA GGG ACC AAG CTG ACC GTC CTA GGT CAG CCC AAG GCT GCC GC L F G Q P K A A G L T V L G Q P K A A

CCC TCG GTC ACT CTG TTC CCA CCC TCC TCT GAG GAG CTT CAA GCC AAC AAG GCC PS S E E L Q A N K A

ACA CTG GTG 3' T L V

<u>:</u>

SEGIO NOS, 58and59

5' AGT TGG ACC CCT CTC TGG CTC ACT CTC TTC ACT CTT TGC ATA GGT TCT

GTG GTT TCT TCT GAG CTG ACT CAG GAC CCT GCT GTG TCT GTG GCC TTG GGA CAG S E L T Q D P A V S V A L G Q ACA GTC AGG ATC ACA TGC CAA GGA GAC AGC CTC AGA AGC TAT TAT GCA AGC TGG T V R I T C Q G D S L R S Y Y A TAC CAG CAG AAG CCA GGA CAG GCC CCT GTA CTT GTC ATC TAT GGT AAA AAC AAC Y Q Q K P G Q A P V L V I Y G K N N

CGG CCC TCA GGG ATC CCA GAC CGA TTC TCT GGC TCC AGC TCA GGA AAC ACA GCT R P S G I P D R F S G S S G N T A


TCC TTG ACC ATC ACT GGG GCT CAG GCG GAA GAT GAC TAT TAC TGT AAC S L T I T G A Q A E D E A D Y Y C N


TCC CGG GAC AGC AGT GAC CAT CTG GTA TTC GGC GGA GGG ACC AAG CTG ACC S R D S S G N H L V F G G G T K L T


GTC CTA GGT CAG CCC AAG GCT GCC CCC TCG GTC ACT CTG TTC CCA CCC TCC TCT V L G Q P K A A P S V T L F P P S S

GAG GAG CTT CAA GCC AAC AAG GCC ACA CTG GTG 3'
E E L Q A N K A T L V

į









HINGTON DIE DE STERNING 191 * 1

Hologia Na

7.00 PM 10 P



Higgie Va



Tigure 26

NT, ET and pregnancies :Delta HAC regenerated fibroblasts Total NTs No of Blast No of Blast Premanny status	Tranferred No Recips 40	27 17 3 3 3 3 3 3	8 4 1 1 1 1	O	14 7 3 3 3 2 2	11 3 0 0 0 0	16 10 1 1	12 8 2 2 2	10 5 3 1 1	52		30 (24) 26 13 2 2 1			9(12) 3 2 1	2	12(13) 7 5 0	6	7	18			7	5	10	80	æ	4 (g (17 (25) 20 10 14 (25) 15 6	<u> </u>	- ∞	4	-	02	13	10	S	20	7	2	o			481	
cies :Delta HAC re	Tranferred	1	80	12	4		16	12	10	22	25	56	32	•	с Э 1	7	7	e e	თ '	18	2	16	7	10	10	80	æ	4,	. 0	20	<u>:</u> -	- &	4	-	10	13	10	S	20	7	7	o	20	4	481	
IT, ET and pregnan																														98 17 (25)															,	
Cell line Tota															ř		Ħ		F		×		F		F					D5968 SLOT															4	

Figure 27

Summary
Prog Status
> 40 d
> 90 d
> 120 d
> 180 d
> 210 d